A Roundup of 2017 Christmas Bird Counts around Northwestern Ontario

Notes: 1 - numbers in parentheses, e.g., (3), indicate number of individuals counted for a species;

2 - (cw) = count week, i.e., species observed during the count week, not on the count day

Saturday, 16 December:

Eagle River

- 1. Bald Eagle (13)
- 2. Raven (162)
- 3. Crow (16)
- 4. Ruffed Grouse (17)
- 5. Spruce Grouse (cw)

- 6. Sharp-tailed Grouse (12)
- 7. Downy WP (28)
- 8. Hairy WP (35)
- 9. Pileated WoodPecker (6)

Kenora

- 1. Canada Goose (1)
- 2. Mallard (1)
- 3. Bufflehead (1)
- 4. Common Goldeneye (54)
- 5. Ruffed Grouse (9)
- 6. Bald Eagle (5)
- 7. Rock Pigeon (218)
- 8. Mourning Dove (2)
- 9. Downy Woodpecker (26)
- 10. Hairy Woodpecker (23)
- 11. Pileated Woodpecker (13)
- 12. Northern Shrike (4)
- 13. Gray Jay (44)

- 14. Blue Jay (89)
- 15. Black-billed Magpie (3)
- 16. American Crow (24)
- 17. Common Raven (229)
- 18. Black-capped Chickadee (222)
- 19. Red-breasted Nuthatch (16)
- 20. White-breasted Nuthatch (4)
- 21. European Starling (101)
- 22. Dark-eyed Junco (5)
- 23. Pine Grosbeak (144)
- 24. Common Redpoll (184)
- 25. Hoary Redpoll (2)
- 26. Evening Grosbeak (44)

Nipigon-Red Rock

The day started at -32C but rose to a balmy -16C. There were 23 ffffffffrigid field observers and 9 feeder watchers. Twenty-eight species were observed - exactly the same as last year- a little below the long-term average (32 species).

A **Varied Thrush** and a **Northern Cardinal** were observed for the first time on the count, bringing the cumulative number of species observed on the count to 82. Other highlights included a Great Grey Owl (seen on 6 previous counts), a Three-toed Woodpecker (6 counts) and Bohemian Waxwings (7 counts). Conspicuous by their absence were House Sparrows (seen on all but 2 previous counts) and Dark eyed Junco (on all but 3 counts). Eight species of mammals were also observed. Thank you so much to everyone who helped out with the count.

The complete list follows:

Birds observed:

- 1. Common Merganser (1)
- 2. Ruffed Grouse (13)
- 3. Bald Eagle (5)

- 4. Rock Pigeon (171)
- 5. Great Grey Owl (1)
- 6. Downy Woodpecker (26)
- 7. Hairy Woodpecker (38)

- 8. American Three-toed Woodpecker (1)
- 9. Pileated Woodpecker (5)
- 10. Northern Shrike (1)
- 11. Gray Jay (21) 12. Blue Jay (87)
- 13. American Crow (48)
- 14. Common Raven (340)
- 15. Black-capped Chickadee (331)
- 16. Boreal Chickadee (5)
- 17. Red-breasted Nuthatch (77)
- 18. Varied Thrush (1)
- 19. European Starling (113)
- 20. Bohemian Waxwing (5)
- 21. Northern Cardinal (1)
- 22. Pine Grosbeak (360)

- 23. White-winged Crossbill (1)
- 24. Common Redpoll (126)
- 25. Hoary redpoll (2)
- 26. Pine Siskin (2)
- 27. American Goldfinch (4)
- 28. Evening Grosbeak (33)

Mammals observed:

Red Squirrel (45)

Gray Squirrel (1)

Northern Flying squirrel (3)

White-tailed Deer (5)

Northern River Otter (10)

Vole (sp?) (1)

Snowshoe Hare (7)

Coyote (2)

Rainy River

- 1. American Crow (13)
- 2. American Goldfinch (9)
- 3. Bald Eagle (7)
- 4. Black-billed Magpie (7)
- 5. Black-capped Chickadee (82)
- 6. Blue Jay (27)
- 7. Bohemian Waxwing (cw)
- 8. Common Raven (112)
- 9. Common Redpoll (5)
- 10. Downy Woodpecker (2)
- 11. European Starling (22)
- 12. Evening Grosbeak (cw)
- 13. Gray Jay (2)
- 14. Great Gray Owl (2)

- 15. Hairy Woodpecker (8)
- 16. House Sparrow (cw)
- 17. Northern Cardinal (1 female)
- 18. Northern Shrike (1)
- 19. Pileated Woodpecker (5)
- 20. Pine Grosbeak (8)
- 21. Purple Finch (3)
- 22. Red-breasted Nuthatch (3)
- 23. Rock Pigeon (Feral Pigeon) (43)
- 24. Ruffed Grouse (2)
- 25. Sharp-tailed Grouse (5)
- 26. Snow Bunting (55)
- 27. White-breasted Nuthatch (7)

Sunday, 17 December:

Marathon

With 6 field teams, and 3 feeder watchers we covered a collective 63 km by foot and 96 km by car, searching for a total of 33 hours, plus an additional 14 hrs of feeder watching by 3 people.

Together our compiled list on count day was a pretty average 26 species (avg. was 25.6 from previous counts) and 966 individuals (vs. avg. of 1076). We beefed that up to 30 species with some additional sightings during count week.

Notable results were the highest ever counts for Bufflehead (3) and Bohemian Waxwings (263), a Great Grey owl during count week (observed in only 2 previous counts; 1978 & 91), and (more common but still unusual were) a Common Grackle and Eastern Towhee that showed up at feeders during count week.

- 1. Long-tailed Duck (1)
- 2. Common Goldeneye (13)
- 3. Bufflehead (3)
- 4. Bald Eagle (2)
- 5. Ruffed Grouse (4)
- 6. Herring Gull (71)
- 7. Great Gray Owl (CW1)
- 8. Downy Woodpecker (6)
- 9. Hairy Woodpecker (5)
- 10. Pileated Woodpecker (3)
- 11. Gray Jay (18)
- 12. Blue Jay (10)
- 13. American Crow (6)
- 14. Common Raven (162)
- 15. Black-capped Chickadee (66)

- 16. Boreal Chickadee (11)
- 17. Red-breasted Nuthatch (32)
- 18. Bohemian Waxwing (263)
- 19. Cedar Waxwing (CW9)
- 20. European Starling (26)
- 21. Northern Cardinal (1)
- 22. Eastern Towhee (CW1)
- 23. White-crowned Sparrow (1)
- 24. Dark-eyed Junco (6)
- 25. Common Grackle (CW1)
- 26. Pine Grosbeak (116)
- 27. White-winged Crossbill (20)
- 28. Common Redpoll (107)
- 29. Pine Siskin (5)
- 30. Evening Grosbeak (8)